

## REFERENCE REQUEST-FEDERAL RECORDS CENTERS

NOTE: Use a separate form for each request

## SECTION I--TO BE COMPLETED BY REQUESTING AGENCY

ACCESSION NO.

AGENCY BOX NUMBER

RECORDS CENTER LOCATION NUMBER

412-04-0064

7 of 9

N1900574

☒

BOX

20068

☐

FOLDER (include file number and title)

REMARKS

FOIA REQUEST FOR KILTY BASKIN TX 63215 Southwestern Electric Power

## NATURE OF SERVICE

☐ FURNISH COPY OF  
RECORD(S) ONLY☐ PERMANENT  
WITHDRAWAL☐ TEMPORARY  
LOAN OF RECORD(S)☐ REVIEW☐ OTHER  
(Specify)

## SECTION II - FOR USE BY RECORDS CENTER

☐ RECORDS NOT IN CENTER CUSTODY☐ RECORDS DESTROYED☐ WRONG ACCESSION NUMBER - PLEASE CHECK☐ WRONG BOX NUMBER - PLEASE RECHECK☐ WRONG CENTER LOCATION - PLEASE RECHECK☐ ADDITIONAL INFORMATION REQUIRED TO IDENTIFY RECORDS REQUESTED☐ MISSING (Neither record(s), information nor charge card found in container(s) specified)☐ RECORDS PREVIOUSLY CHARGED OUT TO (Name, agency and date):

REMARKS

Rec'd - 7/19

DATE

SERVICE

TIME  
REQUIREDSEARCHER'S  
INITIALS

## SECTION III - TO BE COMPLETED BY REQUESTING AGENCY

NAME OF REQUESTER

TELEPHONE NO.

DATE

RECEIPT OF RECORDS

Gail Ann Noahubbi Plunkett

214-665-6634

7/13/2018

US EPA, 6MD-II  
Regional Records Manager  
1445 Ross Ave., Suite 1200  
Dallas, TX 75202Requester please sign, date and return this form, for file item(s), ONLY if the block  
to right has been checked by the Records Center ☐

SIGNATURE

DATE



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 6  
1445 ROSS AVENUE  
DALLAS, TEXAS 75202-2733

ax

JAN 15 2004

CERTIFIED MAIL: RETURN RECEIPT REQUESTED (7003 0500 0003 0871 1104)

Mr. Chris Linendoll, Manager  
Wastewater Permitting Section (MC-148)  
Texas Commission on Environmental Quality  
P.O. Box 13087  
Austin, TX 78711-3087

Re: Withdrawal of General Objection  
to Preliminary Draft Permit  
TPDES Permit No. TX0063215  
Texas State Permit No. 01811  
Southwestern Electric Power Company  
Pittsburg, TX 75686

Dear Mr. Linendoll:

EPA Region 6 withdraws its general objection on the issuance of the draft TPDES permit. Thank you for Ms. Kim Wilson's E-mail of January 12, 2004, addressing the issues raised in our previous letter dated June 17, 2003. The subject permit appears to conform to the guidelines and requirements established by the Clean Water Act and the NPDES regulations.

We appreciate the cooperative spirit with which the TCEQ worked to resolve the issues initiated in our earlier letter. If we may help in this or other permitting matters, please call me at 214-665-7170 or have your staff contact Kilty Baskin at VOICE:214-665-7500, FAX: 214-665-2191, or EMAIL:baskin.kilty@epa.gov.

Sincerely yours,

Original Signed by  
Claudia Hosch  
Team Leader 6WQ-PO

Claudia V. Hosch  
Acting Chief  
Permits Branch

cc: Kimberly Wilson, Industrial Permits Team  
Wastewater Permitting Section (MC 148)  
Texas Commission on Environmental Quality  
P.O. Box 13087  
Austin, Texas 78711-3087

bcc: KBASKIN (6WQ-PO)

READING FILE (6WQ-P)

EROSBORO (6WQ-CA)

RGIBSON (6EN-WC)

PERMIT FILE (TX0063215)

CONCURRENCES ORIG: KBASKIN (6WQ-PO) X7500 [January 14, 2004]

OFFICIAL FILE COPY

CODE: 6WQ-PO

NAME: WLANE

DATE: 1-14-04

U.S. Postal Service™  
**CERTIFIED MAIL™ RECEIPT**  
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com)

**OFFICIAL USE**

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark  
Here

Sent To

Street, Apt. No.;  
or PO Box No.

City, State, ZIP+4

7003 0500 0003 0871 1104

File

# TCEQ - PERMIT LETTER

\*\*\* Date Sensitive \*\*\*

## DUE DATE NA

DATE: January 14, 2004

ORIGINATOR: KILTY BASKIN (6WQ-PO) X7500

### SUBJECT

LETTER HOSCH (EPA) TO LINENDOLL (TCEQ)

\* TPDES DRAFT PERMIT NO. TX0063215

\* SOUTHWESTERN ELECTRIC POWER COMPANY

\* WITHDRAWAL OF OBJECTION LETTER [variance request was approved]

### ACTION

<u>ROUTING</u>	<u>REQUESTED</u>	<u>DATE</u>
BASKIN (6WQ-PO)	CONCUR	1-14-04
TILLMAN (6WQ-PO)	CONCUR	NA
LANE (6WQ-PO)	CONCUR	1-14-04
BASKIN (6WQ-PO)	CONCUR	NA
HOSCH (6WQ-P)	SIGN	1/15/04
ROSBOROUGH (6WQ-CA)	DATE/MAIL	ER 1/15/2004
BASKIN (6WQ-PO)	EMAIL	



Kim Wilson  
<KWILSON@tceq.  
state.tx.us>

01/12/04 09:58  
AM

To: Kilty Baskin/R6/USEPA/US@EPA  
cc:  
Subject: Fwd: Re: Variance Extension and site  
specific standards for Welsh Reservoir

Kilty-

We received an objection letter to Permit NO. 01811 (TX0063215) for Southwestern Electric Power Company dated June 17, 2003. The comment objects to the permit based on the application for a variance extension and then states "Therefore, issuance of this permit is contingent upon the submittal and approval of the extension to the temporary variance." The attached Email from Melinda Nickason confirms the approval of this variance. I just wanted to confirm that it's OK for us to issue the permit now.

Kimberly Wilson  
Industrial Permits Team  
Wastewater Permitting Section  
Texas Commission on Environmental Quality  
Phone: (512) 239-4644  
Fax: (512) 239-4430  
Email: kwilson@tceq.state.tx.us

----- Message from Nickason.Melinda@epamail.epa.gov on Mon,  
12 Jan 2004 08:10:33 -0600 -----

**To:** Kim Wilson <KWILSON@tceq.state.tx.us>

**Subject:** Re: Variance Extension and site specific standards for Welsh  
Reservoir

Hi Kim,

Hope you had a great weekend! We approved the variance extension for Aluminum in Welsh Reservoir in a letter to Mark Vickery dated November 6, 2003. I believe I mailed you and Jim a copy of the letter as well since you were on the bcc: list, but I'd be glad to mail you another copy of the approval letter if you'd like.

As you know from the email, we received concurrence from FWS on the site-specific WER study in a letter to EPA dated October 21, 2003. However, I believe Diane Evans officially approves these WER studies as part of the triennial revision of the WQS.

Hope this helps. Have a great week!

Sincerely,  
Melinda Nickason  
Environmental Scientist  
USEPA - 6WQ-EW  
1445 Ross Ave., Suite 1200  
Dallas, TX 75202  
Work #: (214) 665-8059  
Fax #: (214) 665-6689

Kim Wilson  
<KWILSON@tceq.state.tx.us>  
Nickason/R6/USEPA/US@EPA

and site specific standards for  
01/09/04 09:50 AM

To: Melinda  
cc:  
Subject: Variance Extension  
Welsh Reservoir

Melinda-

I wanted to follow up on the variance extension and partitioning coefficient study approval for Welsh Reservoir in TPDES Permit No. 01811, Southwestern Electric. I received your Email dated 10/27/03 stating that FWS has concurred on the variance extension and wanted to check the status of EPA's approval.

Kimberly Wilson  
Industrial Permits Team  
Wastewater Permitting Section  
Texas Commission on Environmental Quality  
Phone: (512) 239-4644  
Fax: (512) 239-4430  
Email: kwilson@tceq.state.tx.us



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 6  
1445 ROSS AVENUE  
DALLAS, TEXAS 75202-2733

\*\*\*ORIGINAL LETTER DATED 6-17-03\*\*\*

CERTIFIED MAIL: RETURN RECEIPT REQUESTED (7001 0360 0003 6677 3997)

Ms. Nancy Baier, Manager  
Wastewater Permitting Section (MC-148)  
Texas Commission on Environmental Quality  
P.O. Box 13087  
Austin, TX 78711-3087

Re: General Objection  
on Draft Proposed Permit  
TPDES Permit No. TX0063215  
Texas State Permit No. 01811  
Southwestern Electric Power Company  
Pittsburg, TX 75686

Dear Ms. Baier:

We have reviewed the draft proposed permit transmitted in the letter from Mr. Chris Linendoll (TCEQ) to Ms. Evelyn Rosborough (EPA) dated May 2, 2003, and received on May 5, 2003. As a result of our review, we believe that the following course of action needs to occur in order to meet the guidelines and requirements of the Clean Water Act.

COMMENT:

On page 15, No. 13 of "Other Requirements", it states in accordance with 30 TAC § 307(d)(4), that the permittee was granted an extension to the temporary variance to the existing acute aquatic-life criteria for aluminum in the Texas Surface Water Quality Standards for Welsh reservoir, Segment No. 0404 of the Cypress Creek River Basin. However, EPA to date, has not received the request for an extension to the temporary variance. Therefore, issuance of this permit is contingent upon the submittal and approval of the extension to the temporary variance.

In addition, we offer the following suggestion for your consideration:

SUGGESTION:

The dilution series and critical dilution found at paragraph D.3.c. on page 12 of the Fact Sheet and under the Chronic Biomonitoring Requirements on page 17 of the draft permit, do not agree with the series and critical dilution recommended in the interoffice memo of August 10, 2000 from the TCEQ's Water Quality Assessment Section. Please clarify the

appropriate dilution series and critical dilution associated with Outfall 001.

We would be happy to work with you and your staff to clarify or resolve the issues. If you have any questions please call me at 214-665-7170 or have your staff contact Kilty Baskin at VOICE:214-665-7500, FAX:214-665-2191, or EMAIL:baskin.kilty@epa.gov. Written responses to this letter should be sent to the attention of Kilty Baskin at the above physical or EMAIL address.

Sincerely yours,

SIGNED BY

Jack V. Ferguson, P.E.  
Chief  
Permits Branch

cc: Kimberly Wilson, Industrial Permits Team  
Wastewater Permitting Section (MC 148)  
TCEQ  
P.O. Box 13087  
Austin, Texas 78711-3087